
LAGIS®



Fine SEAL TM

TROCAR SYSTEM



LAGIS® Trocars deliver the performance you need

Abdominal Wall Retention

Integrated thread design on cannula with greater stability for minimal trocar slip-outs

Seal Durability

Maintain abdominal insufflation while accommodating a wide range of instrument sizes (5mm to 12mm).

Low System Drag Force

Housing and seal are designed to eliminate instrument hang-ups and provide low instrument insertion/extraction force.

Bladeless Optical Tip

Direct visualization eliminate blind entry by enabling visualization of tissue layers during insertion.




Contents

LAGIS ClearView TM Optical Trocar	P. 02
LAGIS Dilating Tip Trocar	P. 04
LAGIS Shielded Bladed Trocar	P. 06
LAGIS Blunt Tip Trocar	P. 08
LAGIS Conical Tip Trocar	P. 10
I AGIS Universal Tracar Sleeve	D 12

LAGIS®

LAGIS CLEARVIEW ™ OPTICAL TROCAR







ClearView ™ Optical Trocar

Set include 1 Sleeve & 1 ClearView Optical Obturator		
CODE	DESCRIPTION	LENGTH
TR-06VM1	Stability sleeve, 5mm diameter	55mm
TR-06V1	Stability sleeve, 5mm diameter	78mm
TR-06VL1	Stability sleeve, 5mm diameter	100mm
TRO-11VM1	Stability sleeve, 11mm diameter	75mm
TRO-11V1	Stability sleeve, 11mm diameter	108mm
TRO-12VM1	Stability sleeve, 12mm diameter	75mm
TRO-12V1	Stability sleeve, 12mm diameter	108mm
TRO-12VX1	Stability sleeve, 12mm diameter	150mm

ClearView [™] Optical Trocar Kit

Set include 2 Sleeves & 1 ClearView Optical Obturator		
CODE	DESCRIPTION	LENGTH
TR-06VM2	Stability sleeve, 5mm diameter	55mm
TR-06V2	Stability sleeve, 5mm diameter	78mm
TR-06VL2	Stability sleeve, 5mm diameter	100mm
TRO-11VM2	Stability sleeve, 11mm diameter	75mm
TRO-11V2	Stability sleeve, 11mm diameter	108mm
TRO-12VM2	Stability sleeve, 12mm diameter	75mm
TRO-12V2	Stability sleeve, 12mm diameter	108mm
TRO-12VX2	Stability sleeve, 12mm diameter	150mm

 $IMPORTANT: Please\ refer\ to\ Instructions\ for\ Use\ for\ complete\ indications,\ contraindications,\ warnings\ and\ precautions.$

LAGIS DILATING TIP TROCAR





Bladeless Dilating Tip

Minimize abdominal wall and vessel trauma



Dilating Tip Trocar

Set include 1 Sleeve & 1 Dilating Obturator		
CODE	DESCRIPTION	LENGTH
TR-06DM1	Stability sleeve, 5mm diameter	55mm
TR-06D1	Stability sleeve, 5mm diameter	78mm
TR-06DL1	Stability sleeve, 5mm diameter	100mm
TRO-08C1	Smooth sleeve, 8mm diameter	100mm
TRO-11CM1	Stability sleeve, 11mm diameter	75mm
TRO-11C1	Stability sleeve, 11mm diameter	108mm
TRO-12CM1	Stability sleeve, 12mm diameter	75mm
TRO-12C1	Stability sleeve, 12mm diameter	108mm
TRO-12CX1	Stability sleeve, 12mm diameter	150mm

Dilating Tip Trocar Kit

Set include 2 Sleeves & 1 Dilating Obturator		
CODE	DESCRIPTION	LENGTH
TR-06DM2	Stability sleeve, 5mm diameter	55mm
TR-06D2	Stability sleeve, 5mm diameter	78mm
TR-06DL2	Stability sleeve, 5mm diameter	100mm
TRO-08C2	Smooth sleeve, 8mm diameter	100mm
TRO-11CM2	Stability sleeve, 11mm diameter	75mm
TRO-11C2	Stability sleeve, 11mm diameter	108mm
TRO-12CM2	Stability sleeve, 12mm diameter	75mm
TRO-12C2	Stability sleeve, 12mm diameter	108mm
TRO-12CX2	Stability sleeve, 12mm diameter	150mm

IMPORTANT: Please refer to Instructions for Use for complete indications, contraindications, warnings and precautions.

LAGIS SHIELDED BLADED TROCAR





Shielded Bladed Tip

• Round blade design ensures safety during insertion



Shielded Bladed Trocar

Set include 1 Sleeve & 1 Bladed Obturator		
CODE	DESCRIPTION	LENGTH
TR-06S1	Stability sleeve, 5mm diameter	78mm
TR-06SL1	Stability sleeve, 5mm diameter	100mm
TRO-11S1	Stability sleeve, 11mm diameter	108mm
TRO-12S1	Stability sleeve, 12mm diameter	108mm
TRO-12SX1	Stability sleeve, 12mm diameter	150mm

Shielded Bladed Trocar Kit

Set include 2 Sleeves & 1 Bladed Obturator		
CODE	DESCRIPTION	LENGTH
TR-06S2	Stability sleeve, 5mm diameter	78mm
TR-06SL2	Stability sleeve, 5mm diameter	100mm
TRO-11S2	Stability sleeve, 11mm diameter	108mm
TRO-12S2	Stability sleeve, 12mm diameter	108mm
TRO-12SX2	Stability sleeve, 12mm diameter	150mm

 $IMPORTANT: Please\ refer\ to\ Instructions\ for\ Use\ for\ complete\ indications,\ contraindications,\ warnings\ and\ precautions.$

LAGIS BLUNT TIP TROCAR





Blunt Tip Trocar

Set include 1 Sleeve & 1 Blunt Obturator		
CODE	DESCRIPTION	LENGTH
TRO-11B1	Stability sleeve, 11mm	108mm
TRO-12B1	Stability sleeve, 12mm	108mm

Blunt Tip Trocar Kit

Set include 2 Sleeves & 1 Blunt Obturator		
CODE	DESCRIPTION	LENGTH
TRO-11B2	Stability sleeve, 11mm	108mm
TRO-12B2	Stability sleeve, 12mm	108mm

Blunt Tip Hasson Trocar


CODE	DESCRIPTION	LENGTH
TRO-12B1-AH	Smooth sleeve + Hasson Cone, 12mm	108mm

Adjustable Hasson Cone

CODE	DESCRIPTION	LENGTH
HS-12	Smooth sleeve + Hasson Cone, 12mm	-

IMPORTANT: Please refer to Instructions for Use for complete indications, contraindications, warnings and precautions.

LAGIS CONICAL TIP TROCAR





Conical Tip Trocar

Set include 1 Sleeve & 1 Conical Obturator		
CODE	DESCRIPTION	LENGTH
TR-06C1	Stability sleeve, 5mm diameter	78mm
TR-06CL1	Stability sleeve, 5mm diameter	100mm

Conical Trocar Kit

Set include 2 Sleeve 8	1 Conical Obturator	
CODE	DESCRIPTION	LENGTH
TR-06C2	Stability sleeve, 5mm diameter	78mm
TR-06CL2	Stability sleeve, 5mm diameter	100mm

 $IMPORTANT: Please\ refer\ to\ Instructions\ for\ Use\ for\ complete\ indications, contraindications, warnings\ and\ precautions.$

LAGIS UNIVERSAL TROCAR SLEEVE







UNIVERSAL TROCAR SLEEVE

CODE	DESCRIPTION	LENGTH
TR-06M	Stability sleeve, 5mm diameter	55mm
TR-06	Stability sleeve, 5mm diameter	78mm
TR-06-N	Stability sleeve, 5mm diameter without insufflation valve	78mm
TR-06L	Stability sleeve, 5mm diameter	100mm
TRO-08	Smooth sleeve, 8mm diameter	100mm
TRO-11M	Stability sleeve, 11mm diameter	75mm
TRO-11	Stability sleeve, 11mm diameter	108mm
TRO-11-A	Smooth sleeve, 11mm diameter	108mm
TRO-12M	Stability sleeve, 12mm diameter	75mm
TRO-12	Stability sleeve, 12mm diameter	108mm
TRO-12-A	Smooth sleeve, 12mm diameter	108mm
TRO-12X	Stability sleeve, 12mm diameter	150mm

 $IMPORTANT: Please\ refer\ to\ Instructions\ for\ Use\ for\ complete\ indications,\ contraindications,\ warnings\ and\ precautions.$



LAGIS®



P:+886-4-26880767

F:+886-4-26880670

service@lagis.com.tw



TRC MINI TROCARS





Locking Button

• Facilitate easy penetration during entry



Optimal maneuverability

• Low profile design provides ability to operate in tight space



Stainless steel trocar sleeve (3.5mm)




Conical Tip (3.5mm)

TRC CLEARVIEW™ TROCARS



Locking Button

• Facilitate easy penetration during entry



Stability Thread Design

 Provide greater fixation to the abdominal wall and enhance port security from start to finish



Seal Durability

 Maintain pneumoperitoneum while accommodating a wide range of instrument sizes



Visualization Clear Tip

• Eliminate blind entry and minimize abdominal wall and vessel trauma



Product code	Description	-الحصصة ا
	Description Statistics and all leaves 2 France diagraphs:	Length
TRC-03D1	Stainless steel sleeve, 3.5mm diameter	75mm
TRC-03D1-N	Stainless steel sleeve, 3.5mm diameter, without stopcock valve	75mm
	eve & 1 Obturator)	
Product code	Description	Length
TRC-06V1	Stability sleeve, 5mm diameter	75mm
TRC-06V1-N	Stability sleeve, 5mm diameter, without stopcock valve	75mm
TRC-06VL1	Stability sleeve, 5mm diameter	100mm
TRC-06VL1-N	Stability sleeve, 5mm diameter, without stopcock valve	100mm
TRC-06VX1	Stability sleeve, 5mm diameter	150mm
TRC-11V1	Stability sleeve, 5~11mm diameter	108mm
TRC-12V1	Stability sleeve, 5~12mm diameter	108mm
Product code	Description	Length
Product code	Description	Length
TRC-06V2	Stability sleeve, 5mm diameter	
		75mm
TRC-06VL2	Stability sleeve, 5mm diameter	100mm
TRC-11V2	Stability sleeve, 5~11mm diameter	100mm 108mm
TRC-11V2 TRC-12V2	Stability sleeve, 5~11mm diameter Stability sleeve, 5~12mm diameter	100mm
TRC-11V2 TRC-12V2	Stability sleeve, 5~11mm diameter Stability sleeve, 5~12mm diameter	100mm 108mm
TRC-11V2 TRC-12V2	Stability sleeve, 5~11mm diameter Stability sleeve, 5~12mm diameter	100mm 108mm
TRC-11V2 TRC-12V2 TRC Trocar Slee	Stability sleeve, 5~11mm diameter Stability sleeve, 5~12mm diameter eve Description Stainless steel sleeve, 3.5mm diameter	100mm 108mm 108mm
TRC-11V2 TRC-12V2 TRC Trocar Slee	Stability sleeve, 5~11mm diameter Stability sleeve, 5~12mm diameter eve Description Stainless steel sleeve, 3.5mm diameter Stainless steel sleeve, 3.5mm diameter, without stopcock valve	100mm 108mm 108mm Length 75mm
TRC-11V2 TRC Trocar Slee Product code TRC-03 TRC-03-N TRC-06	Stability sleeve, 5~11mm diameter Stability sleeve, 5~12mm diameter eve Description Stainless steel sleeve, 3.5mm diameter Stainless steel sleeve, 3.5mm diameter, without stopcock valve Stability sleeve, 5mm diameter	100mm 108mm 108mm Length 75mm 75mm
TRC-11V2 TRC-12V2 TRC Trocar Slee Product code TRC-03 TRC-03-N TRC-06 TRC-06-N	Stability sleeve, 5~11mm diameter Stability sleeve, 5~12mm diameter eve Description Stainless steel sleeve, 3.5mm diameter Stainless steel sleeve, 3.5mm diameter, without stopcock valve Stability sleeve, 5mm diameter Stability sleeve, 5mm diameter, without stopcock valve	100mm 108mm 108mm Length 75mm
TRC-11V2 TRC-12V2 TRC Trocar Slee Product code TRC-03 TRC-03-N TRC-06 TRC-06-N TRC-06L	Stability sleeve, 5~11mm diameter Stability sleeve, 5~12mm diameter eve Description Stainless steel sleeve, 3.5mm diameter Stainless steel sleeve, 3.5mm diameter, without stopcock valve Stability sleeve, 5mm diameter Stability sleeve, 5mm diameter Stability sleeve, 5mm diameter	100mm 108mm 108mm Length 75mm 75mm
TRC-11V2 TRC-12V2 TRC Trocar Slee Product code TRC-03 TRC-03-N TRC-06 TRC-06-N	Stability sleeve, 5~11mm diameter Stability sleeve, 5~12mm diameter eve Description Stainless steel sleeve, 3.5mm diameter Stainless steel sleeve, 3.5mm diameter, without stopcock valve Stability sleeve, 5mm diameter Stability sleeve, 5mm diameter	100mm 108mm 108mm Length 75mm 75mm 75mm
TRC-11V2 TRC-12V2 TRC Trocar Slee Product code TRC-03 TRC-03-N TRC-06 TRC-06-N TRC-06L	Stability sleeve, 5~11mm diameter Stability sleeve, 5~12mm diameter eve Description Stainless steel sleeve, 3.5mm diameter Stainless steel sleeve, 3.5mm diameter, without stopcock valve Stability sleeve, 5mm diameter Stability sleeve, 5mm diameter Stability sleeve, 5mm diameter	100mm 108mm 108mm 108mm Length 75mm 75mm 75mm 100mm

 $IMPORTANT: Please\ refer\ to\ Instructions\ for\ Use\ for\ complete\ indications, contraindications, warnings\ and\ precautions.$



www.lagis.com.tw service@lagis.com.tw Specifications subject to change without notice.

service@lagis.com.tw © 2014 LAGIS-L11-A-2014.11
Change without notice. Not made with natural rubber latex.